

USER MANUAL

# MUDHONEY II





## CONGRATULATIONS

on your purchase of Mudhoney II, a new version of our vintage distortion pedal that gives you two channels of glorious T-Rex gain.

Mudhoney II was designed to let you switch from your clean amp sound, to a nice crunchy overdrive, and on to a sweet, searing distortion you can use for solos or grungy power chords – all via a single pedal.

At each stage along the way, you've got complete control over gain, tone and level. So be sure to review the overview of controls in this manual. Rock on!

## MUDHONEY II CONTROLS

Your Mudhoney II has 4 controls for each channel: GAIN, LEVEL, TONE and BOOST.

The GAIN knob is the most important control on your Mudhoney II. The more you turn it up, the more overdrive gain you get. Make sure to set the GAIN differently for the 2 Mudhoney II channels, so you can switch between the channels for different levels of distortion.

Use the LEVEL knob to set the overall output volume from the pedal. At 12 o'clock your output is the same as your input volume. Turning it all the way up (clockwise) will boost your output signal by 15 dB.

The TONE knob lets you control the top end, or "edge", of your signal without compromising sonic quality. Try setting it separately for each channel to create your own signature overdrive and distortion sounds.

Use the BOOST switch to switch between moderate and high gain for each channel separately.

## TECHNICAL SPECIFICATIONS

Input Impedance@1KHz	Higher than 1M ohm
Output Impedance@1KHZ	Lower than 1K ohm
Power supply	9V DC (Power tool 9)
Minimum Power supply Voltage	8V DC
Maximum Power supply Voltage	12,5V DC
Current Draw @ 9V DC	20 mA
Maximum Input signal Vp/p	1,5Vp/p
Battery Type	9 V battery 6F22
Battery Life	6 to 9 Hour
External connectors	Input Jack, Output Jack, 9V DC Jack
Controls	2 x GAIN - 2 x LEVEL - 2 x TONE - 2 x BOOST - ON/OFF
Size	Box 100 x 120 x 55mm
Weight (excl. battery)	497 grams packed in box

## T-REX WARRANTY CONDITIONS

T-Rex offers a 2-year warranty on all our products. In the unlikely event of a malfunction, please contact our technical support at [info@t-rex-effects.com](mailto:info@t-rex-effects.com) before sending us the product for repair. When the product has been sent to us at sender's cost, we will repair or replace your product and send it back to you - free of charge and usually within 3 weeks (shipping not included). The product needs to be accompanied by a copy of your receipt, serial number, return address, phone number, e-mail address and a brief explanation of the problem. Please note that we cannot replace a product until we have received it here in Denmark.

The warranty is lost if the product has been damaged by alteration, misuse, accident, or neglect; or if the product has been repaired or serviced by persons not authorized by T-Rex. Read more about warranty conditions at [www.t-rex-effects.com](http://www.t-rex-effects.com).

## ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship – always in the service of killer tone.

## EU REGULATIONS • ENVIRONMENT PROTECTION

T-Rex accepts and follows the regulations and directives issued by the EU. We find these environment protecting regulations very good, and we are happy to follow them.



ISSUED IN VEJLE, 2010



Steen Meldgaard Laursen  
Managing Director



Lars Dahl-Jørgensen  
Development Director



Sebastian Jensen  
Production Director



T-Rex Engineering ApS, Tel.: +45 75 72 71 81, Fax: +45 75 72 71 98  
[www.t-rex-effects.com](http://www.t-rex-effects.com)